Author and Subject Index
VOLUME 28, 1988

VISION RESEARCH

An International Journal in
Visual Science

PART A
BIOCHEMISTRY
MOLECULAR & CELL BIOLOGY
ELECTROPHYSIOLOGY
MORPHOLOGY

PART B
PSYCHOPHYSICS
EYE MOVEMENTS
PHYSIOLOGICAL OPTICS

PERGAMON PRESS
OXFORD · NEW YORK · BEIJING
FRANKFURT · SÃO PAULO
SYDNEY · TOKYO
TORONTO

VISION RESEARCH

Founded by THORNE SHIPLEY

BOARD OF EDITORS

Distributing Editor for the North and South American Continents:

C. D. B. BRIDGES
Department of Biological Sciences
Lilly Hall of Life Sciences
Purdue University
West Lafayette, IN 47907
U.S.A.

Vicki Lynn Burch—Editorial Assistant

Distributing Editor for Europe, Africa and Australasia:

H. SPEKREIJSE
The Netherlands Ophthalmic Research Institute and The Laboratory of Medical Physics
University of Amsterdam
P.O. Box 12011, 1100 AA Amsterdam-Zuidoost
The Netherlands

Els Borghols—Editorial Assistant

Chairman: G. WESTHEIMER, Berkeley, California, U.S.A.

Part A

Biochemistry, Molecular & Cell Biology, Electrophysiology, Morphology

C. D. B. BRIDGES, West Lafayette, Ind., U.S.A.
P. A. HARGRAVE, Gainesville, Fla, U.S.A.
J. G. HOLLYFIELD, Houston, Tex., U.S.A.
A. HUGHES, Victoria, Australia
A. KANEKO, Okazaki, Japan
H. KOLB, Salt Lake City, Utah, U.S.A.
J. H. R. MAUNSELL, Rochester, N.Y., U.S.A.
P. SCHILLER, Cambridge, Mass., U.S.A.
D. L. SPARKS, Birmingham, Ala, U.S.A.
H. SPEKREIJSE, Amsterdam, The Netherlands
D. VAN NORREN, Soesterberg, The Netherlands

Part B

Psychophysics, Eye Movements, Physiological Optics

J. BERGEN, Princeton, N.J., U.S.A.
H. COLLEWIJN, Rotterdam, The Netherlands
R. FOX, Nashville, Tenn., U.S.A.
J. KRAUSKOPF, New York, N.Y., U.S.A.
D. M. LEVI, Houston, Tex., U.S.A.
M. MORGAN, London, U.K.
K. NAKAYAMA, San Francisco, Calif., U.S.A.
R. SEKULER, Evanston, Ill., U.S.A.
D. Y. TELLER, Seattle, Wash., U.S.A.
B. A. WANDELL, Stanford, Calif., U.S.A.
G. WESTHEIMER, Berkeley, Calif., U.S.A.

Publishing Office: Pergamon Press plc, Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8NE, England (*Tel.* Exeter (0392) 51558; *Telex* 42749)

Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England (*Tel.* Oxford (0865) 64881)
Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A.

Published Monthly

Annual institutional subscription rate (1989) DM 1245.00; 2-year institutional rate (1989/90) DM 2365.50; personal subscription rate for those whose library subscribes at the regular rate (1989) DM 181.00. Subscriptions enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England. Prices are subject to amendment without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available direct from Pergamon Press. Back issues of Pergamon journals in microform can be obtained from UMI, 300 North Zeeb Road, Ann Arbor, MI 48106, U.S.A.

Copyright © 1989 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970. *Permission for other use.* The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 0042-6989/89 $3.00 + 0.00

AUTHOR INDEX

ABRAMOV, I.
Harris, C.M., Hainline, L., Abramov, I., Lemerise, E. and Camenzuli, C. The distribution of fixation durations in infants and naive adults 28: 419

ADAMS, A.J.
Haegerstrom-Portnoy, G., Verdon, W. and Adams, A.J. Cone interaction occurs in the parafovea under π_4 stimulus conditions 28: 397
Haegerstrom-Portnoy, G. and Adams, A.J. Spatial sensitization of the B cone pathways 28: 629

ADAMUS, G.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765

AKITA, M.
Takahashi, S., Ejima, Y. and Akita, M. Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521

ALEXANDER, K.R.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575

ALVAREZ, S.L.
Sloane, M.E., Owsley, C. and Alvarez, S.L. Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235

ARENDT, A.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765

VAN ASTEN, W.N.J.C.
van Asten, W.N.J.C., Gielen, C.C.A.M. and de Winkel, M.E.M. The effect of isoluminant and isochromatic stimuli on latency and amplitude of saccades 28: 827

AUGLIERE, R.
Sokol, S., Moskowitz, A., McCormack, G. and Augliere, R. Infant grating acuity is temporally tuned 28: 1357

AXELROD, D.
Axelrod, D., Lerner, D. and Sands P.J. Refractive index within the lens of a goldfish eye determined from the paths of thin laser beams 28: 57

AZUMA, M.
Azuma, M., Seki, T. and Fujishita, S. Formation of visual pigment chromophores during the development of *Xenopus laevis* 28: 959

BACHMANN, T.
Bachmann, T. Time course of the subjective contrast enhancement for the second stimulus in successively paired above-threshold transient forms: perceptual retouch instead of forward masking 28: 1255

BAITCH, L.W.
Baitch, L.W. and Levi, D.M. Evidence for nonlinear binocular interactions in human visual cortex 28: 1139

BAKER, C.L. JR.
Baker, C.L. Jr. and Cynader, M.S. Space-time separability of direction selectivity in cat striate cortex neurons 28: 239

BARO, J.A.
Baro, J.A. and Levinson, E. Apparent motion can be perceived between patterns with dissimilar spatial frequencies 28: 1311

BASSI, C.J.
Powers, M.K., Bassi, C.J., Rone, L.A. and Raymond, P.A. Visual detection by the rod system in goldfish of different sizes 28: 211

BEAZLEY, L.D.
Sheard, P.W. and Beazley, L.D. Retinal ganglion cell death is not prevented by application of tetrodotoxin during optic nerve regeneration in the frog *Hyla Moorei* 28: 461

BEDELL, H.E.
Moidell, B.G. and Bedell H.E. Changes in oculocentric visual direction induced by the recalibration of saccades 28: 329

BERARDI, N.
Berardi, N., Fiorentini, A. and Gravina, A. Functional dissociation of the hemispheres in the discrimination of complex gratings near the vertical meridian 28: 491

BERKLEY, M.A.
Ho, W.A. and Berkley, M.A. Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287

BLAKE, R.
Westendorf, D. and Blake, R. Binocular reaction times to contrast increments 28: 355

Wilson, H.R., Blake, R. and Pokorny, J. Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555
Bravo, M., Blake, R. and Morrison, S. Cats see subjective contours 28: 861
BLAKEMORE, C.
Jacobs, D.S. and Blakemore, C. Factors limiting the postnatal development of visual acuity in the monkey 28: 947
BOMAN, D.K.
Boman, D.K. and Hotson, J.R. Stimulus conditions that enhance anticipatory slow eye movements 28: 1157
BOOTHE, R.G.
Boothe, R.G., Kiorpes, L., Williams, R.A. and Teller, D.Y. Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
BOWMAKER, J.K.
Travis, D.S., Bowmaker, J.K. and Mollon, J.D. Polymorphism of visual pigments in a callitrichid monkey 28: 481
BRADLEY, A.
Bradley, A., Switkes, E. and De Valois, K. Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
Bradley, A. and Schor, C. The role of eye movements and masking in monocular rivalry 28: 1129
BRAVO, M.
Bravo, M., Blake, R. and Morrison, S. Cats see subjective contours 28: 861
BRIDGES, C.D.B.
Fong, S.-L., Lee, P.G., Ozaki, K., Hara, R. and Bridges, C.D.B. IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
BROOKES, A.
Stevens, K.A. and Brookes, A. Integrating stereopsis and monocular interpretations of planar surfaces 28: 371
BRÜWER, M.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
BURBECK, C.A.
Burbeck, C.A. Large-scale relative localization across spatial frequency channels 28: 857
BURROUGHS, T.J.
Shevell, S.K. and Burroughs, T.J. Light spread and scatter from some common adapting stimuli: computations based on the point-source light profile 28: 605
CAELLI, T.
Rentschler, I., Hubner, M. and Caelli, T. On the discrimination of compound Gabor signals and textures 28: 279
CALVERT, J.E.
Calvert, J.E. and Harris J.P. Spatial frequency and duration effects on the tilt illusion and orientation acuity 28: 1051
CAMENZULI, C.
Harris, C.M., Hainline, L., Abramov, I., Lemerise, E. and Camenzuli, C. The distribution of fixation durations in infants and naive adults 28: 419
CANNON, M.W. Jr.
Cannon, M.W. Jr. and Fullenkamp, S.C. Perceived contrast and stimulus size: esperiment and stimulation 28: 695
CARNEY, T.
Paradiso, M.A. and Carney, T. Orientation discrimination as a function of stimulus eccentricity and size: nasal/temporal retinal asymmetry 28: 867
CASE, J.F.
Hiller-Adams, P. and Case, J.F. Eye size of pelagic crustaceans as a function of habitat depth and possession of photophores 28: 667
CHARMAN, W.N.
Walsh, G. and Charman, W.N. The effect of pupil centration and diameter on ocular performances 28: 659
Walsh, G. and Charman, W.N. Visual sensitivity to temporal change in focus and its relevance to the accommodation response 28: 1207
CHELAZZI, L.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
CHURCH, K.L.
Sturr, J.F., Church, K.L. and Taub, H.A. Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247

COOPER, R.M.
Rooney, B.J. and Cooper, R.M. 2-Deoxyglucose uptake in the rat visual system following pupil dilation with atropine 28: 259
CROGNALE, M.
Crognale, M. and Jacobs, G.H. Temporal properties of the short-wavelength cone mechanism: comparison of receptor and postreceptor signals in the ground squirrel 28: 1077
CRONIN, T.W.
Lipetz, L.E. and Cronin, T.W. Application of an invariant spectral form to the visual pigments of crustaceans: implications regarding the binding of the cromophore 28: 1083
CYNADER, M.S.
Baker, C.L. Jr. and Cynader, M.S. Space-time separability of direction selectivity in cat striate cortex neurons 28: 239
DAWSON, W.W.
Dawson, W.W., Parmer, R. and Hope, G.M. Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
DE BRUYN, B.
De Bruyn, B. and Orban, G.A. Human velocity and direction discrimination measured with random dot patterns 28: 1323
DE MARTE, L.
Lake, N., Malik, N. and De Marte, L. Taurine depletion leads to loss of rat optic nerve axons 28: 1071
DE VALOIS, K.
Bradley, A., Switkes, E. and De Valois, K. Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
DENNY, N.
Naarendorp, F., Denny, N. and Frumkes, T.E. Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
DERLACKI, D.J.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575
DEY, S.
Dey, S. Scanning electron microscopic detection of corneal anti-reflection coating in the grasshopper, *Epacromia dorsalis* and its physiological significance 28: 975
DOMA, H.
Doma, H. and Hallett, P.E. Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899
Doma, H. and Hallett, P.E. Dependence of saccadic eye-movements on stimulus luminance, and an effect of task 28: 915
DUNKEL-ABELS, G.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
EBINGER, G.
Vanderheyden, P., Ebinger, G. and Vaquelin, G. Characterization of M1- and M2-muscarinic receptors in calf retina membranes 28: 247
EGUCHI, E.
Suzuki, T., Maeda, Y., Toh, Y. and Eguchi, E. Retinyl and 3-dehydroretinyl esters in the crayfish retina 28: 1061
EIJKMAN, Eg.G.J.
van Erning, L.J.Th.O., Gerrits, H.J.M. and Eijkman, Eg.G.J. Apparent size and receptive field properties 28: 407
EJIMA, Y.
Ohtani, Y. and Ejima, Y. Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
Ejima, Y. and Takahashi, S. Temporal integration of stimulus increments under chromatic adaptation: effects of adaptation level, wavelength and target size 28: 157
Takahashi, S., Ejima, Y. and Akita, M. Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521
Ejima, Y. and Takahashi, S. Illusory contours induced by isoluminant chromatic patterns 28: 1367
EKSTRÖM, P.
Meissl, H. and Ekström, P. Dark and light adaptation of pineal photoreceptors 28: 49
ELDRED, W.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
ENRIGHT, J.T.
Enright, J.T. The cyclopean eye and its implications: vergence state and visual direction 28: 925

ERKELENS, C.J.
Erkelens, C.J. Fusional limits for a large random-dot stereogram 28: 345
VAN ERNING, L.J.Th.O.
van Erning, L.J.Th.O., Gerrits, H.J.M. and Eijkman, Eg.G.J. Apparent size and receptive field properties 28: 407
FACH, C.
Sharpe, L.T., Fach, C. and Nordby, K. Temporal summation in the achromat 28: 1263
FAHLE, M.
Fahle, M. and Westheimer, G. Local and global factors in disparity detection of rows of points 28: 171
Fahle, M. and Schmid, M. Naso-Temporal asymmetry of visual perception and of the visual cortex 28: 293
FALZETT, M.
Falzett, M., Nussdorf, J.D. and Powers, M.K. Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
FENELON, B.
Manning, M.L., Finlay, D.C. and Fenelon, B. Visual evoked potentials to stimuli in apparent motion 28: 965
FERRERA, V.P.
Wilson, H.R., Mets, M.B., Nagy, S.E. and Ferrera, V.P. Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
FINLAY, D.C.
Manning, M.L., Finlay, D.C. and Fenelon, B. Visual evoked potentials to stimuli in apparent motion 28: 965
FIORENTINI, A.
Berardi, N., Fiorentini, A. and Gravina, A. Functional dissociation of the hemispheres in the discrimination of complex gratings near the vertical meridian 28: 491
FISHMAN, G.A.
Alexander, K.R., Fishman, G.A. and Derlacki, D.J. Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575
FLIPSE, J.P.
Flipse, J.P., Wildt, G.J. v.d., Rodenburg, M., Kleemink, C.J. and Knol, P.G.M. Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
FLITCROFT, D.I.
Flitcroft, D.I. Effects of temporal frequency on the contrast sensitivity ofthe human accommodation system 28: 269
FONG, S.-L.
Fong, S.-L., Lee, P.G., Ozaki, K., Hara, R. and Bridges, C.D.B. IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
FOX, R.
Mustillo, P., Francis, E., Oross, S. III, Fox, R. and Orban, G.A. Anisotropies in global stereoscopic orientation discrimination 28: 1315
FRANCIS, E.
Mustillo, P., Francis, E., Oross, S. III, Fox, R. and Orban, G.A. Anisotropies in global stereoscopic orientation discrimination 28: 1315
FREEMAN, R.D.
Ohzawa, I. and Freeman, R.D. Cyclopean visual evoked potentials: a new test for binocular vision 28: 1167
FRUMKES, T.E.
Naarendorp, F., Denny, N. and Frumkes, T.E. Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
FUCHS, A.F.
Shupert, C. and Fuchs A.F. Development of conjugate human eye movements 28: 585
FUJISHITA, S.
Azuma, M., Seki, T. and Fujishita, S. Formation of visual pigment chromophores during the development of *Xenopus laevis* 28: 959
FULLENKAMP, S.C.
Cannon, M.W. Jr. and Fullenkamp, S.C. Perceived contrast and stimulus size: esperiment and stimulation 28: 695
FULTON, A.B.
McGill, M.G., Schreiner, L.A., Hansen, R.M. and Fulton, A.B. Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
GASKA, J.P.
Pollen, D.A., Gaska, J.P. and Jacobson, L.D. Responses of simple and complex cells to compound sine-wave gratings 28: 25
Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179

GAUR, V.P.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
GEORGESON, M.A.
Swanson, W.H., Georgeson, M.A. and Wilson, H.R. Comparison of contrast responses across spatial mechanisms 28: 457
Georgeson, M.A. Spatial phase dependence and the role of motion detection in monocular and dichoptic forward masking 28: 1193
GERI, G.A.
Zeevi, Y.Y., Wetzel, P.A. and Geri, G.A. Preferences and asymmetries in saccadic responses to delayed bihemifield stimuli 28: 1145
GERRITS, H.J.M.
van Erning, L.J.Th.O., Gerrits, H.J.M. and Eijkman, Eg.G.J. Apparent size and receptive field properties 28: 407
GIELEN, C.C.A.M.
van Asten, W.N.J.C., Gielen, C.C.A.M. and de Winkel, M.E.M. The effect of isoluminant and isochromatic stimuli on latency and amplitude of saccades 28: 827
GLASSER, A.
Schaeffel, F., Glasser, A. and Howland, H.C. Accommodation, refractive error and eye growth in chickens 28: 639
GOTTLOB, I.
Gottlob, I., Wündsch, L. and Tuppy, F.K. The rabbit electroretinogram: effect of GABA and its antagonists 28: 203
DE GRAAF, B.
de Graaf, B. and Wertheim, A.H. The perception of object motion during smooth pursuit eye movements: adjacency is not a factor contributing to the Filehne illusion 28: 497
GRAVINA, A.
Berardi, N., Fiorentini, A. and Gravina, A. Functional dissociation of the hemispheres in the discrimination of complex gratings near the vertical meridian 28: 491
GREENLEE, M.W.
Greenlee, M.W. and Heitger, F. The functional role of contrast adaptation 28: 791
Greenlee, M.W. and Magnussen, S. Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303
HAEGERSTROM-PORTNOY, G.
Haegerstrom-Portnoy, G., Verdon, W. and Adams, A.J. Cone interaction occurs in the parafovea under π_4 stimulus conditions 28: 397
Haegerstrom-Portnoy, G. and Adams, A.J. Spatial sensitization of the B cone pathways 28: 629
HAINLINE, L.
Harris, C.M., Hainline, L., Abramov, I., Lemerise, E. and Camenzuli, C. The distribution of fixation durations in infants and naive adults 28: 419
HALLETT, P.E.
Doma, H. and Hallett, P.E. Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899
Doma, H. and Hallett, P.E. Dependence of saccadic eye-movements on stimulus luminance, and an effect of task 28: 915
HANSEN, R.M.
McGill, M.G., Schreiner, L.A., Hansen, R.M. and Fulton, A.B. Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
HARA, R.
Fong, S.-L., Lee, P.G., Ozaki, K., Hara, R. and Bridges, C.D.B. IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
HARGRAVE, P.A.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
HARRIS, C.M.
Harris, C.M., Hainline, L., Abramov, I., Lemerise, E. and Camenzuli, C. The distribution of fixation durations in infants and naive adults 28: 419
HARRIS, J.P.
Troscianko, T. and Harris, J. Phase discrimination in chromatic compound gratings 28: 1041
Calvert, J.E. and Harris J.P. Spatial frequency and duration effects on the tilt illusion and orientation acuity 28: 1051
HAWKINS, R.K.
Sanyal, S. and Hawkins, R.K. Development and degeneration of retina in *rds* mutant mice: altered disc shedding pattern in the albino heterozygotes and its relation to light exposure 28: 1171

HEATH, A.R.
Heath, A.R. and Hindman, H.M. The role of cyclic AMP in the control of elasmobranch ocular tapetum lucidum pigment granule migration 28: 1277
HECKMANN, T.
Heckmann, T. and Post, R.B. Induced motion and optokinetic afternystagmus: parallel response dynamics with prolonged stimulation 28: 681
HEELEY, D.W.
Heeley, D.W. and Timney, B. Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
HEITGER, F.
Greenlee, M.W. and Heitger, F. The functional role of contrast adaptation 28: 791
HERLIN, I.
Ninio, J. and Herlin, I. Speed and accuracy of 3D interpretation of linear stereograms 28: 1223
HEUER, H.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
HILLER-ADAMS, P.
Hiller-Adams, P. and Case, J.F. Eye size of pelagic crustaceans as a function of habitat depth and possession of photophores 28: 667
HILLMAN, P.
Shechter, S., Hochstein, S. and Hillman, P. Shape similarity and distance disparity as apparent motion correspondence cues 28: 1013
HINDMAN, H.M.
Heath, A.R. and Hindman, H.M. The role of cyclic AMP in the control of elasmobranch ocular tapetum lucidum pigment granule migration 28: 1277
HO, W.A.
Ho, W.A. and Berkley, M.A. Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287
HOCHSTEIN, S.
Shechter, S., Hochstein, S. and Hillman, P. Shape similarity and distance disparity as apparent motion correspondence cues 28: 1013
HOHNSBEIN, J.
Mateeff, S. and Hohnsbein, J. Perceptual latencies are shorter for motion towards the fovea than for motion away 28: 711
HOPE, G.M.
Dawson, W.W., Parmer, R. and Hope, G.M. Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
HOTSON, J.R.
Boman, D.K. and Hotson, J.R. Stimulus conditions that enhance anticipatory slow eye movements 28: 1157
HOWARTH, P.A.
Verdon, W. and Howarth, P.A. The pupil's response to short wavelength cone stimulation 28: 1119
HOWLAND, H.C.
Schaeffel, F., Glasser, A. and Howland, H.C. Accommodation, refractive error and eye growth in chickens 28: 639
HUBNER, M.
Rentschler, I., Hubner, M. and Caelli, T. On the discrimination of compound Gabor signals and textures 28: 279
HUMANSKI, R.D.
Shevell, S.K. and Humanski, R.D. Color perception under chromatic adaptation: red/green equilibria with adapted short-wavelength-sensitive cones 28: 1345
IKEDA, M.
Nakano, Y., Ikeda, M. and Kaiser, P.K. Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799
JACOBS, D.S.
Jacobs, D.S. and Blakemore, C. Factors limiting the postnatal development of visual acuity in the monkey 28: 947
JACOBS, G.H.
Crognale, M. and Jacobs, G.H. Temporal properties of the short-wavelength cone mechanism: comparison of receptor and postreceptor signals in the ground squirrel 28: 1077
JACOBSON, L.D.
Pollen, D.A., Gaska, J.P. and Jacobson, L.D. Responses of simple and complex cells to compound sine-wave gratings 28: 25

JACOBSON, L.D.
Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179
JAGGER, W.S.
Jagger, W.S. Optical quality of the eye of the cane to.d *Bufo marinus* 28: 105
JASCHINSKI-KRUZA, W.
Jaschinski-Kruza, W. A hand optometer for measuring dark focus 28: 1271
JOHNSTONE, S.
Wenderoth, P. and Johnstone S. The different mechanisms of the direct and indirect tilt illusions 28: 301
JUDGE, S.J.
Judge, S.J. Do target angular size-change and blur cues interact linearly in the control of human accommodation 28: 263
KAISER, P.K.
Kaiser, P.K. Sensation luminance: a new name to distinguish CIE luminance from luminance dependent on an individual's spectral sensitivity 28: 455
Nakano, Y., Ikeda, M. and Kaiser, P.K. Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799
KARWOSKI, C.J.
Karwoski, C.J. and Newman, E.A. Generation of the *e*-wave of the electroretinogram in the frog retina 28: 1095
KERR, P.W.
McConkie, G.W., Kerr, P.W., Reddix, M.D. and Zola, D. Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107
KERTESZ, A.E.
Kertesz, A.E. and Lee, H.J. The nature of sensory compensation during fusional response 28: 313
KIORPES, L.
Boothe, R.G., Kiorpes, L., Williams, R.A. and Teller, D.Y. Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
KLEEMINK, C.J.
Flipse, J.P., Wildt, G.J. v.d., Rodenburg, M., Kleemink, C.J. and Knol, P.G.M. Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
KLEIN, S.A.
Levi, D.M., Klein, S.A. and Yap Y.L. "Weber's law" for position: unconfounding the role of separation and eccentricity 28: 597
KNOL, P.G.M.
Flipse, J.P., Wildt, G.J. v.d., Rodenburg, M., Kleemink, C.J. and Knol, P.G.M. Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
KOENDERINK, J.J.
Toet, A. and Koenderink, J.J. Differential spatial displacement discrimination thresholds for Gabor patches 28: 133
Toet, A., Snippe, H.P. and Koenderink, J.J. Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
Toet, A., Smit, C.S., Nienhuis, B. and Koenderink, J.J. The visual assessment of the spatial location of a bright bar 28: 721
Määttänen, L.M., Koenderink, J.J. and Nienhuis, B. Contrast discrimination: invariant to spatial parameters 28: 811
KORTH, M.
Korth, M. and Rainer, R. Luminance-contrast evoked responses and color-contrast evoked responses in the human electroretinogram 28: 41
KRESSEL, A.B.
Wilson, H.R., Mets, M.B., Nagy, S.E. and Kressel, A.B. Albino spatial vision as an instance of arrested visual development 28: 979
KRÖGER, H.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
KRUGER, P.B.
McLin, L.N. Jr., Schor, C.M. and Kruger, P.B. Changing size (looming) as a stimulus to accommodation and vergence 28: 883
LAKE, N.
Lake, N., Malik, N. and De Marte, L. Taurine depletion leads to loss of rat optic nerve axons 28: 1071
LEE, H.J.
Kertesz, A.E. and Lee, H.J. The nature of sensory compensation during fusional response 28: 313
LEE, J.
Stromeyer, C.F. III and Lee, J. Adaptational effects of short wave cone signals on red-green chromatic detection 28: 931

LEE, P.G.
Fong, S.-L., Lee, P.G., Ozaki, K., Hara, R. and Bridges, C.D.B. IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
LEMERISE, E.
Harris, C.M., Hainline, L., Abramov, I., Lemerise, E. and Camenzuli, C. The distribution of fixation durations in infants and naive adults 28: 419
LERNER, D.
Axelrod, D., Lerner, D. and Sands P.J. Refractive index within the lens of a goldfish eye determined from the paths of thin laser beams 28: 57
LEUBKE, A.E.
Leubke, A.E. and Robinson, D.A. Transition dynamics between pursuit and fixation suggest different systems 28: 941
LEVI, D.M.
Levi, D.M., Klein, S.A. and Yap Y.L. "Weber's law" for position: unconfounding the role of separation and eccentricity 28: 597
Baitch, L.W. and Levi, D.M. Evidence for nonlinear binocular interactions in human visual cortex 28: 1139
LEVINSON, E.
Baro, J.A. and Levinson, E. Apparent motion can be perceived between patterns with dissimilar spatial frequencies 28: 1311
LIPETZ, L.E.
Lipetz, L.E. and Cronin, T.W. Application of an invariant spectral form to the visual pigments of crustaceans: implications regarding the binding of the cromophore 28: 1083
LIU, W.-L.S.
Marc, R.E., Liu, W.-L.S. and Muller, J.F. Gap junctions in the inner plexiform layer of the goldfish retina 28: 9
LUSTGARTEN, M.
Wyatt, H.J., Pola, J. and Lustgarten, M. "Passive suppression" of optokinesis by stabilized targets 28: 1023
MÄÄTTÄNEN, L.M.
Määttänen, L.M., Koenderink, J.J. and Nienhuis, B. Contrast discrimination: invariant to spatial parameters 28: 811
MACLEOD, D.I.A.
Mulligan, J.B. and MacLeod, D.I.A. Reciprocity between luminance and dot density in the perception of brightness 28: 503
MAEDA, Y.
Suzuki, T., Maeda, Y., Toh, Y. and Eguchi, E. Retinyl and 3-dehydroretinyl esters in the crayfish retina 28: 1061
MAGNUSSEN, S.
Greenlee, M.W. and Magnussen, S. Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303
MALIK, N.
Lake, N., Malik, N. and De Marte, L. Taurine depletion leads to loss of rat optic nerve axons 28: 1071
MANNING, M.L.
Manning, M.L., Finlay, D.C. and Fenelon, B. Visual evoked potentials to stimuli in apparent motion 28: 965
MARC, R.E.
Marc, R.E., Liu, W.-L.S. and Muller, J.F. Gap junctions in the inner plexiform layer of the goldfish retina 28: 9
MARZI, C.A.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
MATEEFF, S.
Mateeff, S. and Hohnsbein, J. Perceptual latencies are shorter for motion towards the fovea than for motion away 28: 711
McCONKIE, G.W.
McConkie, G.W., Kerr, P.W., Reddix, M.D. and Zola, D. Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107
McCORMACK, G.
Sokol, S., Moskowitz, A., McCormack, G. and Augliere, R. Infant grating acuity is temporally tuned 28: 1357
McDOWELL, J.H.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
McGILL, M.G.

McGill, M.G., Schreiner, L.A., Hansen, R.M. and Fulton, A.B. Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
McKEE, S.P.
McKee, S.P. and Mitchison, G.J. The role of retinal correspondence in stereoscopic matching 28: 1001
McLIN, L.N. JR.
McLin, L.N. Jr., Schor, C.M. and Kruger, P.B. Changing size (looming) as a stimulus to accommodation and vergence 28: 883
MEISSL, H.
Meissl, H. and Ekström, P. Dark and light adaptation of pineal photoreceptors 28: 49
METS, M.B.
Wilson, H.R., Mets, M.B., Nagy, S.E. and Kressel, A.B. Albino spatial vision as an instance of arrested visual development 28: 979
Wilson, H.R., Mets, M.B., Nagy, S.E. and Ferrera, V.P. Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
MITCHISON, G.J.
McKee, S.P. and Mitchison, G.J. The role of retinal correspondence in stereoscopic matching 28: 1001
MOIDELL, B.G.
Moidell, B.G. and Bedell H.E. Changes in oculocentric visual direction induced by the recalibration of saccades 28: 329
MOLLON, J.D.
Travis, D.S., Bowmaker, J.K. and Mollon, J.D. Polymorphism of visual pigments in a callitrichid monkey 28: 481
MORITA, Y.
Samejima, M. and Morita, Y. External sodium ions are required for the light response in pineal photoreceptors 28: 251
MORRISON, S.
Bravo, M., Blake, R. and Morrison, S. Cats see subjective contours 28: 861
MOSKOWITZ, A.
Sokol, S., Moskowitz, A., McCormack, G. and Augliere, R. Infant grating acuity is temporally tuned 28: 1357
MULLER, J.F.
Marc, R.E., Liu, W.-L.S. and Muller, J.F. Gap junctions in the inner plexiform layer of the goldfish retina 28: 9
MULLIGAN, J.B.
Mulligan, J.B. and MacLeod, D.I.A. Reciprocity between luminance and dot density in the perception of brightness 28: 503
MUSTILLO, P.
Mustillo, P., Francis, E., Oross, S. III, Fox, R. and Orban, G.A. Anisotropies in global stereoscopic orientation discrimination 28: 1315
NAARENDORP, F.
Naarendorp, F., Denny, N. and Frumkes, T.E. Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
NAGY, S.E.
Wilson, H.R., Mets, M.B., Nagy, S.E. and Kressel, A.B. Albino spatial vision as an instance of arrested visual development 28: 979
Wilson, H.R., Mets, M.B., Nagy, S.E. and Ferrera, V.P. Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
NAKANO, Y.
Nakano, Y., Ikeda, M. and Kaiser, P.K. Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799
NAKAYAMA, K.
Nakayama, K. and Silverman, G.H. The aperture problem - I. Perception of nonrigidity and motion direction in translating sinusoidal lines 28: 739
Nakayama, K. and Silverman, G.H. The aperture problem - II. Spatial integration of velocity information along contours 28: 747
NEWMAN, E.A.
Karwoski, C.J. and Newman, E.A. Generation of the *e*-wave of the electroretinogram in the frog retina 28: 1095
NIENHUIS, B.
Toet, A., Smit, C.S., Nienhuis, B. and Koenderink, J.J. The visual assessment of the spatial location of a bright bar 28: 721
Määttänen, L.M., Koenderink, J.J. and Nienhuis, B. Contrast discrimination: invariant to spatial parameters 28: 811
NINIO, J.
Ninio, J. and Herlin, I. Speed and accuracy of 3D interpretation of linear stereograms 28: 1223

NORDBY, K.
Sharpe, L.T., Fach, C. and Nordby, K. Temporal summation in the achromat 28: 1263
NUSSDORF, J.D.
Falzett, M., Nussdorf, J.D. and Powers, M.K. Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
OHTANI, Y.
Ohtani, Y. and Ejima, Y. Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
OHZAWA, I.
Ohzawa, I. and Freeman, R.D. Cyclopean visual evoked potentials: a new test for binocular vision 28: 1167
ORBAN, G.A.
Mustillo, P., Francis, E., Oross, S. III, Fox, R. and Orban, G.A. Anisotropies in global stereoscopic orientation discrimination 28: 1315
De Bruyn, B. and Orban, G.A. Human velocity and direction discrimination measured with random dot patterns 28: 1323
OROSS, S. III
Mustillo, P., Francis, E., Oross, S. III, Fox, R. and Orban, G.A. Anisotropies in global stereoscopic orientation discrimination 28: 1315
OSBORNE, N.N.
Osborne, N.N. Muscarinic stimulation of inositol phosphate formation in rat retina: developmental changes 28: 875
OWSLEY, C.
Sloane, M.E., Owsley, C. and Alvarez, S.L. Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235
OZAKI, K.
Fong, S.-L., Lee, P.G., Ozaki, K., Hara, R. and Bridges, C.D.B. IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
PANISH, S.C.
Panish, S.C. Velocity discrimination at constant multiples of threshold contrast 28: 193
PANOZZO, G.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
PARADISO, M.A.
Paradiso, M.A. and Carney, T. Orientation discrimination as a function of stimulus eccentricity and size: nasal/temporal retinal asymmetry 28: 867
PARMER, R.
Dawson, W.W., Parmer, R. and Hope, G.M. Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
PASQUALINI, N.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
PASTERNAK, J.J.
Pickett-Seltner, R.L., Sivak, J.G. and Pasternak J.J. Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323
PELISSON, D.
Pelisson, D. and Prablanc, C. Kinematics of centrifugal and centripetal saccadic eye movements in man 28: 87
PICKETT-SELTNER, R.L.
Pickett-Seltner, R.L., Sivak, J.G. and Pasternak J.J. Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323
POKORNY, J.
Wilson, H.R., Blake, R. and Pokorny, J. Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555
POLA, J.
Wyatt, H.J., Pola, J. and Lustgarten, M. "Passive suppression" of optokinesis by stabilized targets 28: 1023
POLLEN, D.A.
Pollen, D.A., Gaska, J.P. and Jacobson, L.D. Responses of simple and complex cells to compound sine-wave gratings 28: 25
Gaska, J.P., Jacobson, L.D. and Pollen, D.A. Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179
POSSIN, D.E.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765

POST, R.B.
Heckmann, T. and Post, R.B. Induced motion and optokinetic afternystagmus: parallel response dynamics with prolonged stimulation 28: 681
POWERS, M.K.
Powers, M.K., Bassi, C.J., Rone, L.A. and Raymond, P.A. Visual detection by the rod system in goldfish of different sizes 28: 211
Falzett, M., Nussdorf, J.D. and Powers, M.K. Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
PRABLANC, C.
Pelisson, D. and Prablanc, C. Kinematics of centrifugal and centripetal saccadic eye movements in man 28: 87
RAINER, R.
Korth, M. and Rainer, R. Luminance-contrast evoked responses and color-contrast evoked responses in the human electroretinogram 28: 41
RANINEN, A.
Rovamo, J. and Raninen, A. Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
RAYMOND, P.A.
Powers, M.K., Bassi, C.J., Rone, L.A. and Raymond, P.A. Visual detection by the rod system in goldfish of different sizes 28: 211
REDDIX, M.D.
McConkie, G.W., Kerr, P.W., Reddix, M.D. and Zola, D. Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107
REGAN, D.
Regan, D. and Regan, M.P. Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
REGAN, M.P.
Regan, D. and Regan, M.P. Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
REID, R.C. JR
Reid, R.C. Jr. and Shapley, R. Brightness induction by local contrast and the spatial dependence of assimilation 28: 115
RENTSCHLER, I.
Rentschler, I., Hubner, M. and Caelli, T. On the discrimination of compound Gabor signals and textures 28: 279
ROBINSON, D.A.
Leubke, A.E. and Robinson, D.A. Transition dynamics between pursuit and fixation suggest different systems 28: 941
RODENBURG, M.
Flipse, J.P., Wildt, G.J. v.d., Rodenburg, M., Kleemink, C.J. and Knol, P.G.M. Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
RÖHLICH, P.
Szél, A. and Röhlich, P. Four photoreceptor types in the ground squirrel retina as evidenced by immunocytochemistry 28: 1297
RÖMER, T.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
RONE, L.A.
Powers, M.K., Bassi, C.J., Rone, L.A. and Raymond, P.A. Visual detection by the rod system in goldfish of different sizes 28: 211
ROONEY, B.J.
Rooney, B.J. and Cooper, R.M. 2-Deoxyglucose uptake in the rat visual system following pupil dilation with atropine 28: 259
ROVAMO, J.
Rovamo, J. and Raninen, A. Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
RUDD, M.E.
Rudd, M.E. Quantal fluctuation limitations on reaction time to sinusoidal gratings 28:179
SAARINEN, J.
Saarinen, J. Detection of mirror symmetry in random dot patterns at different eccentricities 28: 755
SAMEJIMA, M.
Samejima, M. and Morita, Y. External sodium ions are required for the light response in pineal photoreceptors 28: 251

SANDS, P.J.
Axelrod, D., Lerner, D. and Sands P.J. Refractive index within the lens of a goldfish eye determined from the paths of thin laser beams 28: 57
SANYAL, S.
Sanyal, S. and Hawkins, R.K. Development and degeneration of retina in *rds* mutant mice: altered disc shedding pattern in the albino heterozygotes and its relation to light exposure 28: 1171
SARTHY, P.V.
Gaur, V.P., Adamus, G., Arendt, A., Eldred, W., Possin, D.E., McDowell, J.H., Hargrave, P.A. and Sarthy, P.V. A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
SCHAEFFEL, F.
Schaeffel, F., Glasser, A. and Howland, H.C. Accommodation, refractive error and eye growth in chickens 28: 639
SCHMID, M.
Fahle, M. and Schmid, M. Naso-Temporal asymmetry of visual perception and of the visual cortex 28: 293
SCHOR, C.M.
Bradley, A. and Schor, C. The role of eye movements and masking in monocular rivalry 28: 1129
McLin, L.N. Jr., Schor, C.M. and Kruger, P.B. Changing size (looming) as a stimulus to accommodation and vergence 28: 883
SCHREINER, L.A.
McGill, M.G., Schreiner, L.A., Hansen, R.M. and Fulton, A.B. Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
SEKI, T.
Azuma, M., Seki, T. and Fujishita, S. Formation of visual pigment chromophores during the development of *Xenopus laevis* 28: 959
SHAPLEY, R.
Reid, R.C. Jr. and Shapley, R. Brightness induction by local contrast and the spatial dependence of assimilation 28: 115
SHARPE, L.T.
Sharpe, L.T., Fach, C. and Nordby, K. Temporal summation in the achromat 28: 1263
SHEARD, P.W.
Sheard, P.W. and Beazley, L.D. Retinal ganglion cell death is not prevented by application of tetrodotoxin during optic nerve regeneration in the frog *Hyla Moorei* 28: 461
SHECHTER, S.
Shechter, S., Hochstein, S. and Hillman, P. Shape similarity and distance disparity as apparent motion correspondence cues 28: 1013
SHEVELL, S.K.
Shevell, S.K. and Burroughs, T.J. Light spread and scatter from some common adapting stimuli: computations based on the point-source light profile 28: 605
Shevell, S.K. and Humanski, R.D. Color perception under chromatic adaptation: red/green equilibria with adapted short-wavelength-sensitive cones 28: 1345
SHUPERT, C.
Shupert, C. and Fuchs A.F. Development of conjugate human eye movements 28: 585
SILVERMAN, G.H.
Nakayama, K. and Silverman, G.H. The aperture problem - I. Perception of nonrigidity and motion direction in translating sinusoidal lines 28: 739
Nakayama, K. and Silverman, G.H. The aperture problem - II. Spatial integration of velocity information along contours 28: 747
SIVAK, J.G.
Pickett-Seltner, R.L., Sivak, J.G. and Pasternak J.J. Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323
SLOANE, M.E.
Sloane, M.E., Owsley, C. and Alvarez, S.L. Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235
SMIT, C.S.
Toet, A., Smit, C.S., Nienhuis, B. and Koenderink, J.J. The visual assessment of the spatial location of a bright bar 28: 721
SNIPPE, H.P.
Toet, A., Snippe, H.P. and Koenderink, J.J. Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
SOKOL, S.
Sokol, S., Moskowitz, A., McCormack, G. and Augliere, R. Infant grating acuity is temporally tuned 28: 1357
STEVENS, K.A.
Stevens, K.A. and Brookes, A. Integrating stereopsis and monocular interpretations of planar surfaces 28: 371

STROMEYER, C.F. III
Stromeyer, C.F. III and Lee, J. Adaptational effects of short wave cone signals on red-green chromatic detection 28: 931
STURR, J.F.
Sturr, J.F., Church, K.L. and Taub, H.A. Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247
SUZUKI, T.
Suzuki, T., Maeda, Y., Toh, Y. and Eguchi, E. Retinyl and 3-dehydroretinyl esters in the crayfish retina 28: 1061
SWANSON, W.H.
Swanson, W.H., Georgeson, M.A. and Wilson, H.R. Comparison of contrast responses across spatial mechanisms 28: 457
SWITKES, E.
Bradley, A., Switkes, E. and De Valois, K. Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
SZÉL, A.
Szél, A. and Röhlich, P. Four photoreceptor types in the ground squirrel retina as evidenced by immunocytochemistry 28: 1297
TAKAHASHI, S.
Ejima, Y. and Takahashi, S. Temporal integration of stimulus increments under chromatic adaptation: effects of adaptation level, wavelength and target size 28: 157
Takahashi, S., Ejima, Y. and Akita, M. Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521
Ejima, Y. and Takahashi, S. Illusory contours induced by isoluminant chromatic patterns 28: 1367
TAKAO, M.
Takao, M., Yasui, A. and Tokunaga, F. Isolation and sequence determination of the chicken rhodopsin gene 28: 471
TASSINARI, G.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
TAUB, H.A.
Sturr, J.F., Church, K.L. and Taub, H.A. Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247
TELLER, D.Y.
Boothe, R.G., Kiorpes, L., Williams, R.A. and Teller, D.Y. Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
TIMNEY, B.
Heeley, D.W. and Timney, B. Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
TOET, A.
Toet, A. and Koenderink, J.J. Differential spatial displacement discrimination thresholds for Gabor patches 28: 133
Toet, A., Snippe, H.P. and Koenderink, J.J. Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
Toet, A., Smit, C.S., Nienhuis, B. and Koenderink, J.J. The visual assessment of the spatial location of a bright bar 28: 721
TOH, Y.
Suzuki, T., Maeda, Y., Toh, Y. and Eguchi, E. Retinyl and 3-dehydroretinyl esters in the crayfish retina 28: 1061
TOKUNAGA, F.
Takao, M., Yasui, A. and Tokunaga, F. Isolation and sequence determination of the chicken rhodopsin gene 28: 471
TOMAZZOLI, L.
Chelazzi, L., Marzi, C.A., Panozzo, G., Pasqualini, N., Tassinari, G. and Tomazzoli, L. Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
TRAVIS, D.S.
Travis, D.S., Bowmaker, J.K. and Mollon, J.D. Polymorphism of visual pigments in a callitrichid monkey 28: 481
TROSCIANKO, T.
Troscianko, T. and Harris, J. Phase discrimination in chromatic compound gratings 28: 1041
TUPPY, F.K.
Gottlob, I., Wündsch, L. and Tuppy, F.K. The rabbit electroretinogram: effect of GABA and its antagonists 28: 203

VANDERHEYDEN, P.
Vanderheyden, P., Ebinger, G. and Vaquelin, G. Characterization of M1- and M2-muscarinic receptors in calf retina membranes 28: 247
VAQUELIN, G.
Vanderheyden, P., Ebinger, G. and Vaquelin, G Characterization of M1- and M2-muscarinic receptors in calf retina membranes 28: 247
VERDON, W.
Haegerstrom-Portnoy, G., Verdon, W. and Adams, A.J. Cone interaction occurs in the parafovea under π_4 stimulus conditions 28: 397
Verdon, W. and Howarth, P.A. The pupil's response to short wavelength cone stimulation 28: 1119
WADE, N.J.
de Weert, C.M.M. and Wade, N.J. Compound binocular rivalry 28: 1031
WALKER, H.
Whitaker, D. and Walker, H. Centroid evaluation in the vernier alignment of random dot clusters 28: 777
WALSH, G.
Walsh, G. and Charman, W.N. The effect of pupil centration and diameter on ocular performances 28: 659
Walsh, G. and Charman, W.N. Visual sensitivity to temporal change in focus and its relevance to the accommodation response 28: 1207
DE WEERT, C.M.M.
de Weert, C.M.M. and Wade, N.J. Compound binocular rivalry 28: 1031
WENDEROTH, P.
Wenderoth, P. and Johnstone S. The different mechanisms of the direct and indirect tilt illusions 28: 301
WERTHEIM, A.H.
de Graaf, B. and Wertheim, A.H. The perception of object motion during smooth pursuit eye movements: adjacency is not a factor contributing to the Filehne illusion 28: 497
WESTENDORF, D.
Westendorf, D. and Blake, R. Binocular reaction times to contrast increments 28: 355
WESTHEIMER, G.
Fahle, M. and Westheimer, G. Local and global factors in disparity detection of rows of points 28: 171
WETZEL, P.A.
Zeevi, Y.Y., Wetzel, P.A. and Geri, G.A. Preferences and asymmetries in saccadic responses to delayed bihemifield stimuli 28: 1145
WHITAKER, D.
Whitaker, D. and Walker, H. Centroid evaluation in the vernier alignment of random dot clusters 28: 777
WILDT, G.J. V.D.
Flipse, J.P., Wildt, G.J. v.d., Rodenburg, M., Kleemink, C.J. and Knol, P.G.M. Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
WILLIAMS, D.R.
Williams, D.R. Topography of the foveal cone mosaic in the living human eye 28: 433
WILLIAMS, R.A.
Boothe, R.G., Kiorpes, L., Williams, R.A. and Teller, D.Y. Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
WILSON, H.R.
Swanson, W.H., Georgeson, M.A. and Wilson, H.R. Comparison of contrast responses across spatial mechanisms 28: 457
Wilson, H.R., Blake, R. and Pokorny, J. Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555
Wilson, H.R. Development of spatiotemporal mechanisms in infant vision 28: 611
Wilson, H.R., Mets, M.B., Nagy, S.E. and Kressel, A.B. Albino spatial vision as an instance of arrested visual development 28: 979
Wilson, H.R., Mets, M.B., Nagy, S.E. and Ferrera, V.P. Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
DE WINKEL, M.E.M.
van Asten, W.N.J.C., Gielen, C.C.A.M. and de Winkel, M.E.M. The effect of isoluminant and isochromatic stimuli on latency and amplitude of saccades 28: 827
WISCHMEIER, E.
Heuer, H., Dunkel-Abels, G., Brüwer, M., Kröger, H., Römer, T. and Wischmeier, E. The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337
WU, S.M.
Wu, S.M. Synaptic transmisson from rods to horizontal cells in dark-adapted tiger salamander retina 28: 1
WÜNDSCH, L.
Gottlob, I., Wündsch, L. and Tuppy, F.K. The rabbit electroretinogram: effect of GABA and its antagonists 28: 203
WYATT, H.J.
Wyatt, H.J. Some aspects of the mechanics of accommodation 28: 75

Wyatt, H.J., Pola, J. and Lustgarten, M. "Passive suppression" of optokinesis by stabilized targets 28: 1023

YAP, Y.L.

Levi, D.M., Klein, S.A. and Yap Y.L. "Weber's law" for position: unconfounding the role of separation and eccentricity 28: 597

YASUI, A.

Takao, M., Yasui, A. and Tokunaga, F. Isolation and sequence determination of the chicken rhodopsin gene 28: 471

ZEEVI, Y.Y.

Zeevi, Y.Y., Wetzel, P.A. and Geri, G.A. Preferences and asymmetries in saccadic responses to delayed bihemifield stimuli 28: 1145

ZOLA, D.

McConkie, G.W., Kerr, P.W., Reddix, M.D. and Zola, D. Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107

ZOLLINGER, H.

Zollinger, H. Categorical color perception: influence of cultural factors on the differentiation of primary and derived basic color terms in color naming by Japanese children 28: 1379

SUBJECT INDEX

ABSOLUTE THRESHOLD (see DETECTION THRESHOLD)

ACCOMMODATION
Some aspects of the mechanics of accommodation 28: 75
Do target angular size-change and blur cues interact linearly in the control of human accommodation 28: 263
Effects of temporal frequency on the contrast sensitivity ofthe human accommodation system 28: 269
Accommodation, refractive error and eye growth in chickens 28: 639
Changing size (looming) as a stimulus to accommodation and vergence 28: 883
Visual sensitivity to temporal change in focus and its relevance to the accommodation response 28: 1207
A hand optometer for measuring dark focus 28: 1271

ACUITY (see also HYPERACUITY; STEREOPSIS)
Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
Topography of the foveal cone mosaic in the living human eye 28: 433
Infant grating acuity is temporally tuned 28: 1357

ADAPTATION
Changes in oculocentric visual direction induced by the recalibration of saccades 28: 329
Light spread and scatter from some common adapting stimuli: computations based on the point-source light profile 28: 605
The functional role of contrast adaptation 28: 791
Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287
Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303
The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337

ADAPTATION, CHROMATIC
Temporal integration of stimulus increments under chromatic adaptation: effects of adaptation level, wavelength and target size 28: 157
Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521
Spatial sensitization of the B cone pathways 28: 629
Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
Adaptational effects of short wave cone signals on red-green chromatic detection 28: 931
Color perception under chromatic adaptation: red/green equilibria with adapted short-wavelength-sensitive cones 28: 1345

ADAPTATION, DARK
Synaptic transmisson from rods to horizontal cells in dark-adapted tiger salamander retina 28: 1
Dark and light adaptation of pineal photoreceptors 28: 49
Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899

ADAPTATION, LIGHT
Dark and light adaptation of pineal photoreceptors 28: 49
Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67

AFTEREFFECTS (see also ILLUSION)
Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521
The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337

AFTERIMAGE (see AFTEREFFECTS)

AGING
Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235
Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247

ALIASING
Topography of the foveal cone mosaic in the living human eye 28: 433

ALIGNMENT (see HYPERACUITY)

AMACRINE CELLS
Gap junctions in the inner plexiform layer of the goldfish retina 28: 9
The rabbit electroretinogram: effect of GABA and its antagonists 28: 203

AMBLYOPIA
Hemiretinal differences in speed of light detection in esotropic amblyopes 28: 95
Comparison of contrast responses across spatial mechanisms 28: 457
Evidence for nonlinear binocular interactions in human visual cortex 28: 1139

BINOCULAR RIVALRY
Fusional limits for a large random-dot stereogram 28: 345
Compound binocular rivalry 28: 1031

BINOCULAR VISION (see also SUMMATION, BINOCULAR)
Local and global factors in disparity detection of rows of points 28: 171
The nature of sensory compensation during fusional response 28: 313
The cyclopean eye and its implications: vergence state and visual direction 28: 925
The role of retinal correspondence in stereoscopic matching 28: 1001
Evidence for nonlinear binocular interactions in human visual cortex 28: 1139
Cyclopean visual evoked potentials: a new test for binocular vision 28: 1167
Speed and accuracy of 3D interpretation of linear stereograms 28: 1223

BIPOLAR CELLS
Gap junctions in the inner plexiform layer of the goldfish retina 28: 9

BRIGHTNESS PERCEPTION
Brightness induction by local contrast and the spatial dependence of assimilation 28: 115
Reciprocity between luminance and dot density in the perception of brightness 28: 503
Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799

BROCA-SULZER EFFECT (see BRIGHTNESS PERCEPTION)

CELLS (see AMACRINE CELLS; BIPOLAR CELLS; GANGLION CELLS; HORIZONTAL CELLS)

CHANNELS
Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
Large-scale relative localization across spatial frequency channels 28: 857
Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303

CHROMATIC CONTRAST (see COLOR CONTRAST)

CHROMATIC INDUCTION (see COLOR CONTRAST)

COLOR APPEARANCE
Color perception under chromatic adaptation: red/green equilibria with adapted short-wavelength-sensitive cones 28: 1345
Categorical color perception: influence of cultural factors on the differentiation of primary and derived basic color terms in color naming by Japanese children 28: 1379

COLOR BLINDNESS (see DICHROMACY)

COLOR CONTRAST
Illusory contours induced by isoluminant chromatic patterns 28: 1367

COLOR OPPONENCY
Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799

CONES
Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
Cone interaction occurs in the parafovea under p4 stimulus conditions 28: 397
Topography of the foveal cone mosaic in the living human eye 28: 433
Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555
Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575

Spatial sensitization of the B cone pathways 28: 629
Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899
Adaptational effects of short wave cone signals on red-green chromatic detection 28: 931
Temporal properties of the short-wavelength cone mechanism: comparison of receptor and postreceptor signals in the ground squirrel 28: 1077
The pupil's response to short wavelength cone stimulation 28: 1119

CONTOUR PERCEPTION
Cats see subjective contours 28: 861
Illusory contours induced by isoluminant chromatic patterns 28: 1367

CONTRAST DISCRIMINATION
Contrast discrimination: invariant to spatial parameters 28: 811

CONTRAST FLASH (see MASKING)

CONTRAST PERCEPTION
Brightness induction by local contrast and the spatial dependence of assimilation 28: 115
Apparent size and receptive field properties 28: 407
Perceived contrast and stimulus size: esperiment and stimulation 28: 695
Time course of the subjective contrast enhancement for the second stimulus in successively paired above-threshold transient forms: perceptual retouch instead of forward masking 28: 1255

CONTRAST SENSITIVITY
Luminance-contrast evoked responses and color-contrast evoked responses in the human electroretinogram 28: 41
Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
Effects of temporal frequency on the contrast sensitivity ofthe human accommodation system 28: 269
Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
Comparison of contrast responses across spatial mechanisms 28: 457
Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
The effect of pupil centration and diameter on ocular performances 28: 659
Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
Orientation discrimination as a function of stimulus eccentricity and size: nasal/temporal retinal asymmetry 28: 867
Adaptational effects of short wave cone signals on red-green chromatic detection 28: 931
Spatial phase dependence and the role of motion detection in monocular and dichoptic forward masking 28: 1193
Visual sensitivity to temporal change in focus and its relevance to the accommodation response 28: 1207
Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235

CORNEA
Scanning electron microscopic detection of corneal anti-reflection coating in the grasshopper, *Epacromia dorsalis* and its physiological significance 28: 975

CORTEX
Responses of simple and complex cells to compound sine-wave gratings 28: 25
Space-time separability of direction selectivity in cat striate cortex neurons 28: 239
Naso-Temporal asymmetry of visual perception and of the visual cortex 28: 293
Evidence for nonlinear binocular interactions in human visual cortex 28: 1139
Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179

CRAIK-O'BRIEN EFFECT (see CONTOUR PERCEPTION)

DEPTH PERCEPTION
Local and global factors in disparity detection of rows of points 28: 171
Integrating stereopsis and monocular interpretations of planar surfaces 28: 371
Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555

DETECTION THRESHOLD
Quantal fluctuation limitations on reaction time to sinusoidal gratings 28:179
Visual detection by the rod system in goldfish of different sizes 28: 211

Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247

DEUTERANOPIA (see DICHROMACY)

DEVELOPMENT
Visual detection by the rod system in goldfish of different sizes 28: 211
Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
The distribution of fixation durations in infants and naive adults 28: 419
Development of conjugate human eye movements 28: 585
Development of spatiotemporal mechanisms in infant vision 28: 611
Accommodation, refractive error and eye growth in chickens 28: 639
Muscarinic stimulation of inositol phosphate formation in rat retina: developmental changes 28: 875
Factors limiting the postnatal development of visual acuity in the monkey 28: 947
Formation of visual pigment chromophores during the development of *Xenopus laevis* 28: 959
Infant grating acuity is temporally tuned 28: 1357

DICHROMACY
Cone interaction occurs in the parafovea under p_4 stimulus conditions 28: 397

DIPLOPIA (see BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Space-time separability of direction selectivity in cat striate cortex neurons 28: 239
The cyclopean eye and its implications: vergence state and visual direction 28: 925

DISPARITY (see BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (see PERIPHERAL VISION)

ELECTRORETINOGRAM
Luminance-contrast evoked responses and color-contrast evoked responses in the human electroretinogram 28: 41
The rabbit electroretinogram: effect of GABA and its antagonists 28: 203
Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
Temporal properties of the short-wavelength cone mechanism: comparison of receptor and postreceptor signals in the ground squirrel 28: 1077
Generation of the *e*-wave of the electroretinogram in the frog retina 28: 1095

EVOKED POTENTIALS
Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
Visual evoked potentials to stimuli in apparent motion 28: 965
Evidence for nonlinear binocular interactions in human visual cortex 28: 1139
Cyclopean visual evoked potentials: a new test for binocular vision 28: 1167
Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287
Infant grating acuity is temporally tuned 28: 1357

EYE-MOVEMENTS
The distribution of fixation durations in infants and naive adults 28: 419
Development of conjugate human eye movements 28: 585
Transition dynamics between pursuit and fixation suggest different systems 28: 941
Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107
The role of eye movements and masking in monocular rivalry 28: 1129
Stimulus conditions that enhance anticipatory slow eye movements 28: 1157

EYE-MOVEMENTS, OPTOKINETIC NYSTAGMUS
Induced motion and optokinetic afternystagmus: parallel response dynamics with prolonged stimulation 28: 681
Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
"Passive suppression" of optokinesis by stabilized targets 28: 1023

EYE-MOVEMENTS, SACCADIC
Kinematics of centrifugal and centripetal saccadic eye movements in man 28: 87
Changes in oculocentric visual direction induced by the recalibration of saccades 28: 329
The effect of isoluminant and isochromatic stimuli on latency and amplitude of saccades 28: 827
Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899
Dependence of saccadic eye-movements on stimulus luminance, and an effect of task 28: 915
Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107
Preferences and asymmetries in saccadic responses to delayed bihemifield stimuli 28: 1145

EYE-MOVEMENTS, SMOOTH PURSUIT
The perception of object motion during smooth pursuit eye movements: adjacency is not a factor contributing to the Filehne illusion 28: 497
Perceptual latencies are shorter for motion towards the fovea than for motion away 28: 711
Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
Transition dynamics between pursuit and fixation suggest different systems 28: 941
Stimulus conditions that enhance anticipatory slow eye movements 28: 1157

EYE-MOVEMENTS, VERGENCE
The nature of sensory compensation during fusional response 28: 313
Fusional limits for a large random-dot stereogram 28: 345
Changing size (looming) as a stimulus to accommodation and vergence 28: 883
The cyclopean eye and its implications: vergence state and visual direction 28: 925
The effects of sustained vertical gaze deviation on the resting state of the vergence system 28: 1337

FLICKER
Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575
Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
Temporal properties of the short-wavelength cone mechanism: comparison of receptor and postreceptor signals in the ground squirrel 28: 1077

FOVEA
Topography of the foveal cone mosaic in the living human eye 28: 433
Light spread and scatter from some common adapting stimuli: computations based on the point-source light profile 28: 605

GANGLION CELLS
Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
Retinal ganglion cell death is not prevented by application of tetrodotoxin during optic nerve regeneration in the frog *Hyla Moorei* 28: 461
Taurine depletion leads to loss of rat optic nerve axons 28: 1071

GRATINGS
Responses of simple and complex cells to compound sine-wave gratings 28: 25
Differential spatial displacement discrimination thresholds for Gabor patches 28: 133
Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
Quantal fluctuation limitations on reaction time to sinusoidal gratings 28:179
Velocity discrimination at constant multiples of threshold contrast 28: 193
On the discrimination of compound Gabor signals and textures 28: 279
Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
Binocular reaction times to contrast increments 28: 355
Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
Functional dissociation of the hemispheres in the discrimination of complex gratings near the vertical meridian 28: 491
Perceived contrast and stimulus size: esperiment and stimulation 28: 695
Contrast sensitivity for oscillating sine wave gratings during ocular fixation and pursuit 28: 819
Phase discrimination in chromatic compound gratings 28: 1041
Visual sensitivity to temporal change in focus and its relevance to the accommodation response 28: 1207
Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247
Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287
Infant grating acuity is temporally tuned 28: 1357

HORIZONTAL CELLS
Synaptic transmisson from rods to horizontal cells in dark-adapted tiger salamander retina 28: 1

HYPERACUITY
Differential spatial displacement discrimination thresholds for Gabor patches 28: 133
Naso-Temporal asymmetry of visual perception and of the visual cortex 28: 293
Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
The visual assessment of the spatial location of a bright bar 28: 721
Centroid evaluation in the vernier alignment of random dot clusters 28: 777
Albino spatial vision as an instance of arrested visual development 28: 979

ILLUSION (see also AFTEREFFECTS)
The different mechanisms of the direct and indirect tilt illusions 28: 301
Apparent size and receptive field properties 28: 407
The perception of object motion during smooth pursuit eye movements: adjacency is not a factor contributing to the Filehne illusion 28: 497
Reciprocity between luminance and dot density in the perception of brightness 28: 503
Cats see subjective contours 28: 861
Spatial frequency and duration effects on the tilt illusion and orientation acuity 28: 1051
Illusory contours induced by isoluminant chromatic patterns 28: 1367

IMAGE QUALITY
Optical quality of the eye of the cane toad *Bufo marinus* 28: 105
Light spread and scatter from some common adapting stimuli: computations based on the point-source light profile 28: 605

IMMUNOCHEMISTRY
IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
Four photoreceptor types in the ground squirrel retina as evidenced by immunocytochemistry 28: 1297

INCREMENT THRESHOLD
The functional role of contrast adaptation 28: 791

INTEROCULAR TRANSFER (see AFTEREFFECTS)

LATERAL INHIBITION
The different mechanisms of the direct and indirect tilt illusions 28: 301
Evoked potential estimates of the time course of adaptation and recovery to counterphase gratings 28: 1287
Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303

LENS
Refractive index within the lens of a goldfish eye determined from the paths of thin laser beams 28: 57
Some aspects of the mechanics of accommodation 28: 75

LOW VISION
Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235

LUMINANCE
Luminance-contrast evoked responses and color-contrast evoked responses in the human electroretinogram 28: 41
Sensation luminance: a new name to distinguish CIE luminance from luminance dependent on an individual's spectral sensitivity 28: 455
Reciprocity between luminance and dot density in the perception of brightness 28: 503
Positive colored afterimages from the figure-ground configurations of colored lights: effects of chromaticity, luminance and a spatial parameter of the adapting stimuli 28: 521
Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
Dependence of saccadic eye-movements on stimulus luminance, and an effect of task 28: 915

MACH BANDS (see CONTOUR PERCEPTION)

MASKING
Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991

The role of eye movements and masking in monocular rivalry 28: 1129
Spatial phase dependence and the role of motion detection in monocular and dichoptic forward masking 28: 1193
Time course of the subjective contrast enhancement for the second stimulus in successively paired above-threshold transient forms: perceptual retouch instead of forward masking 28: 1255

McCULLOUGH EFFECT (see AFTEREFFECTS)

METACONTRAST (see MASKING)

MOLECULAR BIOLOGY
Isolation and sequence determination of the chicken rhodopsin gene 28: 471
Polymorphism of visual pigments in a callitrichid monkey 28: 481

MONOCULAR RIVALRY
The role of eye movements and masking in monocular rivalry 28: 1129

MONOCULAR VISION
Integrating stereopsis and monocular interpretations of planar surfaces 28: 371

MORPHOLOGY (see NEUROANATOMY)

MOVEMENT PERCEPTION
Velocity discrimination at constant multiples of threshold contrast 28: 193
Do target angular size-change and blur cues interact linearly in the control of human accommodation 28: 263
The perception of object motion during smooth pursuit eye movements: adjacency is not a factor contributing to the Filehne illusion 28: 497
Induced motion and optokinetic afternystagmus: parallel response dynamics with prolonged stimulation 28: 681
Perceptual latencies are shorter for motion towards the fovea than for motion away 28: 711
The aperture problem - I. Perception of nonrigidity and motion direction in translating sinusoidal lines 28: 739
The aperture problem - II. Spatial integration of velocity information along contours 28: 747
Visual evoked potentials to stimuli in apparent motion 28: 965
Shape similarity and distance disparity as apparent motion correspondence cues 28: 1013
Stimulus conditions that enhance anticipatory slow eye movements 28: 1157
Spatial phase dependence and the role of motion detection in monocular and dichoptic forward masking 28: 1193
Apparent motion can be perceived between patterns with dissimilar spatial frequencies 28: 1311
Human velocity and direction discrimination measured with random dot patterns 28: 1323

NEUROANATOMY
Gap junctions in the inner plexiform layer of the goldfish retina 28: 9
2-Deoxyglucose uptake in the rat visual system following pupil dilation with atropine 28: 259
Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323

NEUROCHEMISTRY
The rabbit electroretinogram: effect of GABA and its antagonists 28: 203
Characterization of M1- and M2-muscarinic receptors in calf retina membranes 28: 247
Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323
Division of the pattern-evoked retinal response by respiratory acidosis 28: 363
Retinal ganglion cell death is not prevented by application of tetrodotoxin during optic nerve regeneration in the frog *Hyla Moorei* 28: 461
Muscarinic stimulation of inositol phosphate formation in rat retina: developmental changes 28: 875
Taurine depletion leads to loss of rat optic nerve axons 28: 1071
Generation of the *e*-wave of the electroretinogram in the frog retina 28: 1095
The role of cyclic AMP in the control of elasmobranch ocular tapetum lucidum pigment granule migration 28: 1277

NEUROTRANSMITTER (see NEUROCHEMISTRY)

OBITUARY
Hermann Kuhn (1939-1988) pp. iii-iv, 28: No. 10

OCULAR DIMENSIONS
Experimentally induced myopia in chicks: morphometric and biochemical analysis during the first 14 days after hatching 28: 323
Eye size of pelagic crustaceans as a function of habitat depth and possession of photophores 28: 667

ORIENTATION PERCEPTION
The different mechanisms of the direct and indirect tilt illusions 28: 301
Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
Development of spatiotemporal mechanisms in infant vision 28: 611
Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
Orientation discrimination as a function of stimulus eccentricity and size: nasal/temporal retinal asymmetry 28: 867
Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
Spatial frequency and duration effects on the tilt illusion and orientation acuity 28: 1051
Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303
Anisotropies in global stereoscopic orientation discrimination 28: 1315

PATHOLOGY
Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575
Optokinetic nystagmus thresholds of dark-adapted RCS rats 28: 761
Albino spatial vision as an instance of arrested visual development 28: 979
Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991

PERIPHERAL VISION
Naso-Temporal asymmetry of visual perception and of the visual cortex 28: 293
The distribution of fixation durations in infants and naive adults 28: 419
Effects of blur and eccentricity on differential spatial displacement discrimination 28: 535
"Weber's law" for position: unconfounding the role of separation and eccentricity 28: 597
Detection of mirror symmetry in random dot patterns at different eccentricities 28: 755
Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
Orientation discrimination as a function of stimulus eccentricity and size: nasal/temporal retinal asymmetry 28: 867
"Passive suppression" of optokinesis by stabilized targets 28: 1023

PHASE SENSITIVITY
Responses of simple and complex cells to compound sine-wave gratings 28: 25
Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
Functional dissociation of the hemispheres in the discrimination of complex gratings near the vertical meridian 28: 491
Phase discrimination in chromatic compound gratings 28: 1041
Spatial phase dependence and the role of motion detection in monocular and dichoptic forward masking 28: 1193

PHOTOPIC VISION
Critical flicker frequency as a function of stimulus area and luminance at various eccentricities in human cone vision: a revision of Granit-Harper and Ferry-Porter laws 28: 785
Contributions of the opponent mechanisms to brightness and nonlinear models 28: 799

PHOTOPIGMENTS
Isolation and sequence determination of the chicken rhodopsin gene 28: 471
Polymorphism of visual pigments in a callitrichid monkey 28: 481
IRBP-like proteins in the eyes of six cephalopod species - immunochemical relationship to vertebrate interstitial retinol-binding protein (IRBP) and cephalopod retinal-binding protein 28: 563
Factors limiting the postnatal development of visual acuity in the monkey 28: 947
Formation of visual pigment chromophores during the development of *Xenopus laevis* 28: 959
Retinyl and 3-dehydroretinyl esters in the crayfish retina 28: 1061
Application of an invariant spectral form to the visual pigments of crustaceans: implications regarding the binding of the cromophore 28: 1083
Development and degeneration of retina in *rds* mutant mice: altered disc shedding pattern in the albino heterozygotes and its relation to light exposure 28: 1171
Four photoreceptor types in the ground squirrel retina as evidenced by immunocytochemistry 28: 1297

PHOTORECEPTORS (see CONES; RODS)
Dark and light adaptation of pineal photoreceptors 28: 49
Optical quality of the eye of the cane toad *Bufo marinus* 28: 105
External sodium ions are required for the light response in pineal photoreceptors 28: 251
A monoclonal antibody that binds to photoreceptors in the turtle retina 28:765
Four photoreceptor types in the ground squirrel retina as evidenced by immunocytochemistry 28: 1297

PI MECHANISMS
Cone interaction occurs in the parafovea under p_4 stimulus conditions 28: 397

PIGMENT EPITHELIUM
Development and degeneration of retina in *rds* mutant mice: altered disc shedding pattern in the albino heterozygotes and its relation to light exposure 28: 1171
The role of cyclic AMP in the control of elasmobranch ocular tapetum lucidum pigment granule migration 28: 1277

PROTANOPIA (see DICHROMACY)

PUPILS
2-Deoxyglucose uptake in the rat visual system following pupil dilation with atropine 28: 259
The effect of pupil centration and diameter on ocular performances 28: 659
The pupil's response to short wavelength cone stimulation 28: 1119
Aging, senile miosis and spatial contrast sensitivity at low luminance 28: 1235

READING
Eye movement control during reading: I. The location of initial eye fixations on words 28: 1107

RECEPTIVE FIELDS (see also individual cell types)
Apparent size and receptive field properties 28: 407

RECEPTOR POTENTIAL (see CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Refractive index within the lens of a goldfish eye determined from the paths of thin laser beams 28: 57
Accommodation, refractive error and eye growth in chickens 28: 639
The effect of pupil centration and diameter on ocular performances 28: 659

RETINAL DISEASE (see PATHOLOGY)

ROD-CONE INTERACTION (see CONES; RODS)

RODS
Synaptic transmisson from rods to horizontal cells in dark-adapted tiger salamander retina 28: 1
Rod light and dark adaptation influence cone-mediated spatial acuity 28: 67
Visual detection by the rod system in goldfish of different sizes 28: 211
Mechanisms of rod-cone interaction: evidence from congenital stationary nightblindness 28: 575
Rod-cone dependence of saccadic eye-movement latency in a foveating task 28: 899
Temporal summation in the achromat 28: 1263

SACCADES (see EYE-MOVEMENTS, SACCADIC)

SCHEMATIC EYE (see OCULAR DIMENSIONS)

SCOTOPIC VISION
Visual detection by the rod system in goldfish of different sizes 28: 211
Responsivity and absolute sensitivity of retinal ganglion cells in goldfish of different sizes, when measured under "psychophysical" conditions 28: 223
Temporal summation in the achromat 28: 1263

SPATIAL FREQUENCY
Differential spatial displacement discrimination thresholds for Gabor patches 28: 133
Quantal fluctuation limitations on reaction time to sinusoidal gratings 28:179
Objective evidence for phase-independent spatial frequency analysis in the human visual pathway 28: 187
The different mechanisms of the direct and indirect tilt illusions 28: 301

Development of spatiotemporal mechanisms in infant vision 28: 611
Orientation and spatial frequency selectivity of adaptation to colour and luminance gratings 28: 841
Large-scale relative localization across spatial frequency channels 28: 857
Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
Spatial frequency and duration effects on the tilt illusion and orientation acuity 28: 1051
Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179
Interactions among spatial frequency and orientation channels adapted concurrently 28: 1303
Apparent motion can be perceived between patterns with dissimilar spatial frequencies 28: 1311

SPATIAL VISION (see ACUITY; CHANNELS)
Brightness induction by local contrast and the spatial dependence of assimilation 28: 115
On the discrimination of compound Gabor signals and textures 28: 279
Meridional anisotropies of orientation discrimination for sine wave gratings 28: 337
Operant measurements of contrast sensitivity in fant macaque monkeys during normal development 28: 387
Topography of the foveal cone mosaic in the living human eye 28: 433
Comparison of contrast responses across spatial mechanisms 28: 457
"Weber's law" for position: unconfounding the role of separation and eccentricity 28: 597
Spatial sensitization of the B cone pathways 28: 629
Perceived contrast and stimulus size: esperiment and stimulation 28: 695
The visual assessment of the spatial location of a bright bar 28: 721
The aperture problem - II. Spatial integration of velocity information along contours 28: 747
Contrast discrimination: invariant to spatial parameters 28: 811
Albino spatial vision as an instance of arrested visual development 28: 979
Spatial frequency and orientation tuning of spatial visual mechanisms in human albinos 28: 991
Compound binocular rivalry 28: 1031

SPECTRAL SENSITIVITY
Sensation luminance: a new name to distinguish CIE luminance from luminance dependent on an individual's spectral sensitivity 28: 455
Polymorphism of visual pigments in a callitrichid monkey 28: 481
Application of an invariant spectral form to the visual pigments of crustaceans: implications regarding the binding of the cromophore 28: 1083

STABILIZED VISION
"Passive suppression" of optokinesis by stabilized targets 28: 1023
The role of eye movements and masking in monocular rivalry 28: 1129

STEREOPSIS
Local and global factors in disparity detection of rows of points 28: 171
Fusional limits for a large random-dot stereogram 28: 345
Integrating stereopsis and monocular interpretations of planar surfaces 28: 371
Limits of binocular fusion in the short wave sensitive ("blue") cones 28: 555
The role of retinal correspondence in stereoscopic matching 28: 1001
Speed and accuracy of 3D interpretation of linear stereograms 28: 1223
Anisotropies in global stereoscopic orientation discrimination 28: 1315

STILES-CRAWFORD EFFECT (see DIRECTIONAL SELECTIVITY)

STRABISMUS (see also AMBLYOPIA)
Evidence for nonlinear binocular interactions in human visual cortex 28: 1139

SUMMATION, BINOCULAR
Binocular reaction times to contrast increments 28: 355

SUMMATION, PROBABILITY
Relation between flicker and two-pulse sensitivities for sinusoidal gratings 28: 145
Binocular reaction times to contrast increments 28: 355

SUMMATION, SPATIAL
Temporal integration of stimulus increments under chromatic adaptation: effects of adaptation level, wavelength and target size 28: 157
Human velocity and direction discrimination measured with random dot patterns 28: 1323

SUMMATION, TEMPORAL
Temporal integration of stimulus increments under chromatic adaptation: effects of adaptation level, wavelength and target size 28: 157
Temporal summation functions for detection of sine-wave gratings in young and older adults 28: 1247
Temporal summation in the achromat 28: 1263
Human velocity and direction discrimination measured with random dot patterns 28: 1323

TECHNIQUES
Sensation luminance: a new name to distinguish CIE luminance from luminance dependent on an individual's spectral sensitivity 28: 455
Cyclopean visual evoked potentials: a new test for binocular vision 28: 1167
A hand optometer for measuring dark focus 28: 1271

TEMPORAL DISCRIMINATION
Effects of temporal frequency on the contrast sensitivity ofthe human accommodation system 28: 269
Spatial and temporal frequency selectivity of neurons in visual cortical area V3A of the macaque monkey 28: 1179

TEXTURE PERCEPTION
On the discrimination of compound Gabor signals and textures 28: 279

THRESHOLD (see CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (see DICHROMACY)

TROXLER EFFECT (see STABILIZED VISION)

VELOCITY (see MOVEMENT PERCEPTION)

VERNIER ACUITY (see HYPERACUITY)

VISUAL DIRECTION
Changes in oculocentric visual direction induced by the recalibration of saccades 28: 329

INFORMATION FOR CONTRIBUTORS

GENERAL

1. The Editors of *Vision Research* are prepared to accept experimental and observational studies, reviews, and theoretical papers firmly based upon the current facts of visual science. The purpose of theoretical papers is to give a higher sense of order to the facts as they are presently known, or to point to new observations from which emergent knowledge may arise. Papers dealing with questions in the history of visual science should lay stress upon the history of ideas in this field. The Editors of *Vision Research* have always welcomed the broadest interpretation of visual science. Clinical and *ad hoc* papers, however, will generally not be accepted.

2. *Free submissions.* **To facilitate review, authors should submit their papers to the appropriate Distributing Editor.** Authors are urged to be as concise as their material will allow, both in text and in illustrations, and to take particular care to assure the Editor that the paper is in final form when submitted. Papers of monograph length will not be considered, nor will a series of numbered papers.

3. *Invited papers and Symposia*

(a) Summary papers on major topics in vision and perception will be invited regularly by the Editors, and special instructions will be supplied with the invitation.

(b) Special non-recurrent Symposia in vision can now be published as enlarged issues of *Vision Research*, and Symposium organizers are encouraged to contact the Chairman of the Editorial Board.

4. *Short communications.* Letters, non-quantitative phenomenological observations, research notes, technical or instrument notes, and news items should be directed to the appropriate Distributing Editor.

SPECIFIC

1. Papers, together with an abstract, will be accepted in either English, French, German or Russian. All papers should be submitted to the appropriate Distributing Editor.

2. The abstract must not be longer than 100 words and should supplement the title in giving the reader the essentials of the paper. Authors who wish to do so may submit additional abstracts in any of the other official languages of the journal.

3. **Five double-spaced typewritten copies** of the manuscript should be submitted in all cases. Only one side of each page should be used, allowing generous margins. Contributors are advised to retain an additional copy for themselves as the Editors cannot accept responsibility for damage or loss of papers submitted. The original manuscript and diagrams will be discarded **one month** after publication unless the Publisher is requested to return original material to the author.

4. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.

5. **Corrections to the proofs must be restricted to printer's errors.** Other than these, any substantial changes will be charged to the author.

6. The authors are requested to list on the title page 5–10 key words and animal classifications to serve as guidelines for abstracting and indexing. A running head of no more than 40 characters should be provided for articles with long titles.

7. *References*

(a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Hays (1963), Van den Brink and Bouman (1957). If there are three or more authors, citations should read Kuhn, Bennett, Michel-Villaz and Chabre (1981), first citation; Kuhn *et al.* (1981), second citation.. If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Rushton 1965a, b).

(b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication in parentheses, the full title of the article or book, name of the journal the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations:

Semmlow, J. L., & Hung, G. K. (1983). The near responses: Theories of control. In C. M. Schor & K. J. Cuiffreda (Eds.), *Vergence eye movements: basic and clinical aspects* (pp. 175–195). London: Butterworths.

Zrenner, E., & Gouras, P. (1981). Characteristics of the blue sensitive cone mechanism in primate retinal ganglian cells. *Vision Research*, **21**, 1605–1609.

(c) Unpublished work, work in press, or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.

8. *Illustrations and Tables*

(a) Only standard size (*ca* 8½ × 12 in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" (abbreviated to "Figs") and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table. In the interests of economy and precision, tables should be submitted as illustrations: glossy, high-contrast, black-and-white photographs with lettering suitable for direct reproduction. In case of uncertainty please consult the Photoreprographic Unit of your institution.

(b) Half-tone illustrations (e.g. micrographs) should be glossy prints suitable for plates and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.

(c) Line drawings should be drawn in indian ink on stiff white paper or on tracing cloth, and should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher: ○ ⊙ ● ▲ + ×. Other special symbols (e.g. Greek Letters) should be made particularly legible and explicit.

9. The Editors of *Vision Research* require a statement from the author upon submission of a paper that "the paper has not been previously published, that it is not under consideration for publication elsewhere, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the Editors".

10. All research work with human subjects must conform to the Declaration of Helsinki. All research with animals must conform to the "Guiding Principles in the Care and Use of Animals" of the American Physiological Society, or equivalent principles.

11. *Personal computers.* Authors with access to an Apple IIc, IIe, IBM PC or compatible personal computer can use Manuscript Manager/APA Style, a software program available from Pergamon Press Inc. that automatically formats manuscripts according to APA requirements.

PRINTED IN GREAT BRITAIN BY A. WHEATON & CO. LTD, EXETER

". . . the authors and the medical editors have been consistent in the high quality of this series of publications."
—HEAD AND NECK SURGERY

ADVANCES IN OPHTHALMIC PLASTIC AND RECONSTRUCTIVE SURGERY

AN ESSENTIAL SERIES FOR OPHTHALMIC AND FACIAL PLASTIC SURGEONS

EDITOR-IN-CHIEF:
Stephen L. Bosniak, MD
Manhattan Eye, Ear and Throat Hospital, New York
and New York Eye and Ear Infirmary

FOUNDING EDITOR:
Byron C. Smith, MD, FACS

ADVANCES IN OPHTHALMIC PLASTIC & RECONSTRUCTIVE SURGERY is an annual series dedicated to presenting the newest surgical techniques, procedures, and innovative instrumentation in ophthalmic plastic and reconstructive surgery. Each volume, written by recognized experts, also provides extensive reviews of the latest research and serves as a definitive reference covering a single topic pertinent to lid, lacrimal, and orbital problems.

NEW VOLUMES

Volume 6—Orbital Trauma, Part 1 and **Volume 7—Orbital Trauma, Part 2,** the two new volumes of this highly acclaimed series, represent a current, comprehensive guide to the management of orbital trauma.

ADVANCES IN OPHTHALMIC PLASTIC AND RECONSTRUCTIVE SURGERY

Volume 6—**ORBITAL TRAUMA,** Part 1	ISSN: 0276-3508	Hardcover	US$ 70.00
Volume 7—**ORBITAL TRAUMA,** Part 2	ISSN: 0276-3508	Hardcover	US$ 70.00
Discounted Price for both volumes			US$133.00

Purchase Volume 6 and/or Volume 7 and you are entitled to a **25% DISCOUNT** on previous volumes of the series.

PREVIOUS VOLUMES

Volume 1: **Ptosis** (1982)
"The editors have collected articles by well-known ophthalmic plastic surgeons reviewing existing techniques in ptosis surgery, as well as presenting the new ideas on this subject. Interspersed with the excellent contributions are timely comments by the two editors."
—Ophthalmology Supplement
Regular Price US$ 65.00 **Discount Price US$ 48.75**

Volume 2: **The Aging Face** (1983)
"Since cosmetic lid surgery is now being done by a number of clinicians from diverse specialty backgrounds, we would encourage inclusions of 'The Aging Face' in all graduate reference libraries."
—Ear, Nose And Throat Journal
Regular Price US$ 65.00 **Discount Price US$ 48.75**

Volume 3: **The Lacrimal System** (1984)
". . . Volume 3 discusses almost every aspect of the lacrimal system in detail . . . The initial chapters on embryology, anatomy, current concepts, blinking and tear drainage are especially well done and informative . . . This material is rarely emphasized in other textbooks . . . Provides valuable information for all surgeons interested in lacrimology."
—American Journal of Ophthalmology
Regular Price US$ 65.00 **Discount Price US$ 48.75**

Volume 4: **Blepharospasm** (1985)
Regular Price US$ 65.00 **Discount Price US$ 48.75**

Volume 5: **History and Tradition** (1986)
Regular Price US$ 65.00 **Discount Price US$ 48.75**

To place an order, or request additional information, please contact:
PERGAMON JOURNALS, Attn: K. Mattey, Maxwell House, Fairview Park, Elmsford, NY 10523

PERGAMON PRESS
New York • Oxford • Beijing • Frankfurt • São Paulo • Sydney • Toronto • Tokyo


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8